

\*\*\*Please visit <https://www.evidentlybetter.org/bulletins/suicide-prevention/> to view our webpage featuring key links and emerging reports about suicide prevention.\*\*\*

## Systematic Review

[Worldwide prevalence of suicidal ideation and suicide plan among people with schizophrenia: a meta-analysis and systematic review of epidemiological surveys](#)

This is a meta-analysis and systematic review of the prevalence of suicidal ideation (SI) and suicide plan (SP) among people with schizophrenia. The lifetime and point prevalence of SI were 34.5% and 29.9%, respectively. The lifetime prevalence of SP was 44.3% and the point prevalence of SP ranged between 6.4 and 13%.

## Study

[Male suicide prevention: uncovering the challenges associated with "talking"](#)

Explores a recent qualitative study conducted in Scotland, which finds that the contexts in which men talk about suicide are an important part of male suicide prevention.

## Articles

[Nursing home staff mental health during the Covid-19 pandemic in the Republic of Ireland](#)

The objective of this article was to quantify the mental health of nursing home staff during the Covid-19 pandemic in the Republic of Ireland. Moderate-severe post-traumatic stress disorder symptoms were found in 45.1% of all staff. A World Health Organisation-5 (WHO-5) wellbeing index score  $\leq 32$ , indicating low mood, was reported by 38.7% of staff; significantly more nurses reported low mood. Suicidal ideation and suicide planning were reported, respectively, by 13.8% and 9.2% of participants with no between-group differences.

[Correlating heatwaves and relative humidity with suicide \(fatal intentional self-harm\)](#)

This article investigates the correlation between heatwaves and/or relative humidity and suicide (fatal intentional self-harm) on a global scale.